

Competence creates Confidence.



• Model no. 1732/1733


## QUIX END CLOSURES 100 BAR

The internal pressure creep test is a test procedure for determining the strength of thermoplastic pipes to constant hydrostatic internal pressure at a constant ambient temperature. The samples are tested either for a specified period or until they fail. The test duration is subject to the tension generated by the internal pressure and the temperature.

ISO 1167

ASTM D 1598

ASTM D 1599



Quick and  
easy  
sealing

**Standard features**

- Maximum pressure 100 bar
- End closures caps made of stainless steel 1.4301 / AISI 305 / UNS S30300
- Simple and reliable venting directly at the sample
- Ring nut for suspension
- Connection set for IPT test oven
- Suitable for PE, PP and PVC pipes
- Metric or imperial closures
- Fast assembly thanks to proven closure design

**Options**

- Pressures greater than 100 bar on request

<b>Design of QUIX END CLOSURES</b>		V1732-0008	V1732-0010	V1732-0012	V1732-0016	V1732-0017	V1732-0018	V1732-0020	V1732-0025	V1732-0032	V1732-0040	V1732-0050
For pipe diameter DN	mm	8	10	12	16	17	18	20	25	32	40	50
		V1732-0063	V1732-0075	V1732-0090	V1732-0110	V1732-0125	V1732-0140	V1732-0160	V1732-0180	V1732-0200	V1732-0225	V1732-0250
For pipe diameter DN	mm	63	75	90	110	125	140	160	180	200	225	250
		V1733-0012	V1733-0017	V1733-0015	V1733-0021	V1733-0022	V1733-0026	V1733-0028	V1733-0033	V1733-0034	V1733-0042	V1733-0041
For pipe diameter DN	Inches	3/8 CTS	3/8 IPS	1/2 CTS	1/2 IPS	3/4 CTS	3/4 IPS	1 CTS	1 IPS	1 1/4 CTS	1 1/4 IPS	1 1/2 CTS
		V1733-0048	V1733-0047	V1733-0054	V1733-0061	V1733-0088	V1733-0114	V1733-0141	V1733-0168	V1733-0219		
For pipe diameter DN	Inches	1 1/2 IPS	1 3/4 CTS	2 CTS	2 IPS	3 IPS	4 IPS	5 IPS	6 IPS	8 IPS		
Pressure connection						Quick-release plug						

**Accessories for END CLOSURES**

Product	Description	Model no.
	Pipe tester	1720 1774 1785 1814
	Test tank	1751 - 1757 1830
	Test oven	1662 1674 1776
	Connecting hoses	1074 1577